AquaGuard Pro®

Anti-Legionella/Bacteria Under sink Filter











Redefining Water Purity



AquaGuard pro® is a microtiltration system designed for the bacteriological security and purification of water, targeting threats like Legionella, bacteria, and viruses. Installed under the sink or at the main residential water entry, this advanced filter offers robust protection against waterborne pathogens such as Legionella, NTM (Nontuberculous Mycobacteria), E. Coli, Salmonella, and more.

It is evaluated for its exceptional resilience against temperature changes and chlorine, affirming its physical robustness.



AquaGuard Pro® is Capable of purifying up to **15,000 liters** / **3,963 gallons*** of water depends to the water's quality. this system is synonymous with extraordinary durability and security.

It offers 99.99999% protection efficiency from Legionella and other harmful bacteria and viruses in the water. With the CE mark of a Class 1 product and achieving a remarkable purification efficiency of 99.99999%, the AquaGuard Pro delivers unmatched water purity, granting complete confidence with every use

^{*}Capacity depends on local water conditions, the amount of microparticles (SDI), and pre-filtration. SDI is measured according to ASTM D4189-95. It is recommended that the filter cartridge be replaced after 4 months. The amount of impurities in the water will vary between water systems, so filters will become clogged at different rates.



FEATURES

BENEFITS

- 0.085 µm sterilizing grade hollow fiber membranes
- exchangeable Anti-Microbial filter
- Compatible with ADA compliant pause adapter
- Robust pre-filtration cartridge
- In compliance with NSF P376, ASSE LEC 2011-2022, ASTM F838-2015ae1 / 2020 for Bactria and fungus reduction standards & EPA WaterSense

- Retains microorganisms without volume restriction
- Waste reduction, cost reduction with high performance
- Complete Anti-Microbial
 protection embedded throughout the system
- Integrates with Legionella Water Management Plans
- Installed on the cold water source without affecting the water flow rate

International standard & reliability tests

Our products are subject to stringent testing processes to align with global standards. Right from the development stage of our water purifiers and filters, we prioritize durability, safety, performance, and functionality.

This commitment is demonstrated through comprehensive reliability testing that conforms to international stress test standards, ensuring our products meet the highest quality criteria.























TECHNICAL CHARACTERISTICS



Sterilization and Quality Assurance

Utilizing (by request) filter materials that have been sterilized and rigorously tested in accordance with the standards set forth by ISO 9001:2008. Additionally, our products are certified as CE Marked medical devices under EN ISO 13485:2003 & ISO 11137 – 1:2006, ensuring the highest level of quality and safety.



The AquaGuard Pro® Series comes in two models:

- Single-Stage Filter: Hollow Fiber Filter System
- Two-Stage Filtration System: Hollow Fiber Filter & Sediment Filter to extend Hollow Fiber service life



Comprehensive Testing

Each product undergoes 100% testing for membrane integrity and leak tightness, affirming our commitment to reliability and performance.



Durability

Demonstrated physical resilience against temperature fluctuations and chlorine exposure, with a proven performance lifespan of 15,000 liters / 3,963 gallons*, depending on the quality of the source water.





Filtration Capacity

A substantial filtration area of 6,800cm² / 1,054in² (Hollow Fiber) is designed for maximum efficiency and effectiveness in water purification.



Safety and Compliance

Adherence to CE-marked Class 2 standards, underscoring our dedication to safety and regulatory compliance.

- NSF P376 Bactria and fungus reduction
- ASSE LEC 2011 2022 U.S Water Engineering Association for Bacteria reduction
- ASTM F838-2015ae Legionella reduction Log 8
- Complies with EPA WaterSense & ASTM F838-20



Transparency and Trust

A complete dossier of tests, including comprehensive analyses on Legionella, is readily available, providing transparency and building trust with our clients.




Efficiency

Achieves a Log 99.99999% reduction rate in waterborne contaminants, showcasing the exceptional effectiveness of our technology in purifying water to the highest possible standards.

P376 MICROBIOLOGICAL FILTRATION REQUIREMENTS FOR CHALLENGE ORGANISMS & REDUCTION REQUIREMENTS

ORGANISM	Maximum influent concentration (cfu/L)	Minimum required required (%)
Legionella pneumophila ATCC 33152	1 x 10 ¹¹	99.9999 (6.0 log)
Brevundimonas diminuta ATCC 19146	1 x 10 11	99.9999 (6.0 log)
Pseudomonas aeruginosa ATCC 13388	1 x 10 ¹¹	99.9999 (6.0 log)
Aspergillus fumigatus ATCC 10894	1 x 10 °	99.99 (4.0 log)

Filtration Spectrum:







ABOUT US

Redefining Water Purity

Mentor Water Technologies BV, based in the Netherlands, leads in innovative water purification solutions for a sustainable future. Our extensive Research & Development division, where water experts from diverse continents collaborate, drives our commitment to high-quality, accessible, and affordable water purification technologies. Founded by Mentor Capital Holdings BV, a global Dutch investment advisory firm, Mentor Water Technologies benefits from over two decades of international expertise. Our systems are designed for superior efficiency and cost-effectiveness, ensuring exceptional value for our clients.



As a proud member of Mentor Capital Holdings BV, we believe in nurturing relationships through a personal touch, embodied by our employees and distributors worldwide. At Mentor Water Technologies, we provide not only the finest purification solutions unparalleled service to meet your needs.





Patented Technology

Harnessing exclusive innovations for superior performance



R&D and Innovative **Solutions**

We leverage science to develop unique water purification solutions.



Price Affordability

Creatives that you will promote to the target market.



Simple Setup

Designed for easy installation and filter replacement.



Certified & tested Equipment

Our equipment is certified at the highest standards through rigorous third-party testing.





